

**BULLARD  
SOLAR**  
One with the Sun

# BOLITE SOLAR BOLLARD



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**LED**

**IP65**



**12-24V**

#### GENERAL INFORMATION:

The Bolite Solar Bollard by Bullard Solar is a sleek, self-sustaining outdoor lighting fixture powered entirely by solar energy—no wiring required. Designed with a modern aluminum and polycarbonate body, it features optional wood paneling for a refined architectural look. Engineered for durability and energy efficiency, Bolite provides reliable illumination for pathways, landscapes, and exterior spaces while maintaining a clean, contemporary aesthetic.

#### FIXTURE TYPE

Solar Bollard

#### VOLTAGE:

12-24V DC

**12-24V**

#### MATERIAL:

304 Stainless Steel

#### IP RATING:

IP 65

**IP65**

#### APPLIANCE CLASS:

II



#### DRIVER POSITION:

Integral

#### WARRANTY:

LED lighting products are warranted for 5 years.

#### MAIN FEATURES:

High visual comfort  
Wide range of finishes  
Functional design  
Minimal design  
Shock resistant  
Operating Temperature: -30°~ +50°

**ONE WITH THE SUN**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.bullardsolar.com](http://www.bullardsolar.com)  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



**BULLARD  
SOLAR**  
One with the Sun



**CODE:  
BS-BLTE-BL**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

Example:  
CODE: BS-BLTE-BL-H1-DIM

BS-BLTE-BL  
-H1-DIM



**1 HEIGHT:**

-H1 Height - H: 22" (56 cm)  
-H2 Height - H: 27.55" (70 cm)

**2 DIAMETER:**

Ø: 7.7" (19,5 cm)

**3 LIGHT SOURCE:**

LED / 2.5-3W / 3000K / 12-24V DC / 136 lm

**4 SOLAR PANEL:**

Single crystal solar photovoltaic panel  
LiFePO4 Battery  
Capacity 18000mAh

Back Solar Panel - 12.5W/18V  
Top Solar Panel - 2W/18V

**5 INFRARED SENSOR:**

180° PIR Motion and day / night sensor  
Input voltage: 12-24V DC  
Static current: maximum 8 mA  
0-10V DC output signal

**6 FINISH OPTION:**

Galvanic metal finishes - RAL 7047

**7 DIMMING OPTIONS:**

-DIM 0-10V  
-NON NON - Dimmable

**LED**

**IP65**



**12-24V**

**ONE WITH THE SUN**

sales@gordonbullard.com  
www.bullardsolar.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2025 All Rights Reserved

Updated 04/30/2025